

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only and
 provide Pantone samples to match
 to. Leave other layers as they are
 and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 1126 (w) x 376.5 (h) mm and includes bleed.



Product Graphic Area: 4500 (w) x 1500 (h) mm

Safe Area:
4100 (w) x 1300 (h) mm

This is the white safe area, keep all critical artwork within this area.

Formulate Hanging Square

OUTSIDE 1

(FORM-SQU-150)

OUTSIDE 2

OUTSIDE 3

OUTSIDE 4